

Certificate of Constancy of Performance

This is to certify that: Rockwool Limited
Pencoed
Bridgend
Mid Glamorgan
CF35 6NY
United Kingdom

Holds Certificate Number: 0086-CPR-461281

In respect of:

EN 13162:2012+A1:2015

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the above construction product. This certificate attests that all the provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the above standard(s) under system 1 are applied and that the product fulfils (products fulfil) all the prescribed requirements set out above. This certificate remains valid as long as the test methods and/or factory production control requirements included in the harmonised standard(s), used to assess the performance of the declared essential characteristics, do not change and the products(s), and the manufacturing conditions in the plants(s) are not modified significantly.

For and on behalf of BSI, a Notified Body for the above Regulation (Notified Body Number 0086):



Gary Fenton, Global Product Certification Director

First Issued: 2002-05-01

Latest Issue: 2017-06-28



003

Page: 1 of 2

...making excellence a habit.™

Certificate of Constancy of Performance

No. 0086-CPR-461281

Manufacturing Plant

Rockwool Limited

Pencoed
Bridgend
Mid Glamorgan
United Kingdom
CF35 6NY

The product parameters detailed within this certificate are reaction to fire Euroclass A1.

Product information:

All un-faced mineral wool insulation products for buildings, as detailed in the Rockwool Technical File; within the following parameters:

% Binder content	Density range
≤ 5.0	19 - 220 kg/m ³

All mineral wool insulation products for buildings with glass tissue or aluminium foil facing types on one or both sides, as detailed in the Rockwool Technical File; within the following parameters:

% Binder content	Density range
≤ 5.0	25 - 220 kg/m ³

All mineral wool insulation products for building with Mineral Coated Glass Fibre Tissue on one side, as detailed in the Rockwool Technical Files; within the following parameters:

% Binder content	Density range
≤ 4.8	99 - 193 kg/m ³

First Issued: 2002-05-01

Latest Issue: 2017-06-28

Page: 2 of 2

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.